

Product data sheet

RWA K 600 T



Retractable arm drive for air intake systems for installation on doors

AREAS OF APPLICATION

- Use in the supply air system where large opening angles are required
- Single and double leaf smoke and heat extraction fresh air doors
- Installation on the hinge or opposite hinge side



PRODUCT FEATURES

- 90° door opening in less than 60 seconds
- Powerful drive with high torque
- Connection cable easy to replace by means of plug
- Integrated status contact for electric strike control unit or feedback signals
- Door remains freely accessible due to the freely positioned activation of the lever by means of a pressure roller

TECHNICAL DATA

Productname	RWA K 600 T
Dimensions (W x H x D)	421 x 40 x 56 mm
Current consumption	1.4 A
Residual ripple (max.)	20 %
Duty rating	30 %
Connection cable length	5 m
Special length of power supply cable	10 m
Cable dimensions	5 cores 0.5 mm ²
Temperature range	-5 °C - 75 °C
IP rating / protection rating	IP32 / III
Syncro function	Yes
Adjustable opening speed (ventilation)	Yes
Additional locking available	Yes
Type of additional locking	Locking drive
End position cut-off extended	Internal path sensor
End position cut-off retracted	Internal path sensor
Overload cut-off	Yes
Synchronisation (max.)	2 drives

VARIANTS / ORDER INFO

Name	Description	Ident- No.	Colour	Dimensions	Operating voltage
RWA K 600 T		130059	EV1	421 x 40 x 56 mm	24 V DC
RWA K 600 T 2-leaf with closing sequence - special version	Can be configured: Fixed/active leaf, start-up delay, status contact, colour	137450	acc. to RAL	421 x 40 x 56 mm	24 V DC
RWA K 600 T 2-leaf with door closing sequence selector		137449	EV1	421 x 40 x 56 mm	24 V DC
RWA K 600 T - special version	Can be configured: Version master/slave, status contact, colour, opening angle, free programming	130060	acc. to RAL	421 x 40 x 56 mm	24 V DC

RWA K 600 T



ACCESSORY

BRACKET G FOR RWA K 600

Mounting bracket for K 600 retractable arm drive

CONSOLE R FOR RWA K 600

Mounting bracket for K 600 retractable arm drive

BRACKET T FOR RWA K 600

Mounting bracket for K 600 retractable arm drive

Name	Ident-No.	Colour	Dimensions	Length	Synchronising function
Console T for RWA K 600	140505	acc. to RAL	100 x 75 x 50 mm	100 mm	0